

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,828,428 B2
DATED : December 7, 2004
INVENTOR(S) : Tetsuyoshi Ishiwata et al.

Page 1 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page,

Item [56], **References Cited**, FOREIGN PATENT DOCUMENTS,

"DK 4238778 A * 11/1992" should read

-- DE 4238778 A * 11/1992 --.

OTHER PUBLICATIONS,

"Alberts, et al." reference, "Biologoy" should read -- Biology --.

"Kidny International," reference, "Kidny" should read -- Kidney --.

Column 1,

Line 15, "DNA" should read -- DNA, --.

Column 3,

Line 4, "NO:1 to" (first occurrence) should be deleted.

Column 4,

Line 11, "(1992)," should read -- (1982), --;

Line 13, "(1925)," should read -- (1985), --; and

Line 30, "brow." should read -- below. --.

Column 6,

Line 12, "3," should read -- 38, --.

Column 7,

Line 52, "(manufacture" should read -- (manufactured --.

Column 8,

Line 41, "16," should read -- 168, --.

Column 9,

Line 7, "cytomagalovirus" should read -- cytomegalovirus --;

Line 12, "call" should read -- cell --;

Line 25, "Unowned" should read -- Unexamined --; and

Line 60, "or a" should read -- or an --.

Column 10,

Line 4, "an" should read -- a --;

Line 50, "by" should read -- be --; and

Line 56, "call" should read -- cell --.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,828,428 B2
DATED : December 7, 2004
INVENTOR(S) : Tetsuyoshi Ishiwata et al.

Page 2 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 12,

Line 36, "shows" should read -- show --;
Line 44, "hybrid a," should read -- hybridoma, --;
Line 55, "256," should read -- 276, --;
Line 57, "5," should read -- 256, --;
Line 59, "call" should read -- cell --; and
Line 60, "calls" should read -- cells --.

Column 13,

Line 48, "ant" should read -- antibody --.

Column 14,

Line 49, "minute" should read -- minutes --.

Column 15,

Line 12, "ware" should read -- were --.

Column 16,

Line 65, "addis" should read -- adding --.

Column 19,

Line 30, "vilified" should read -- amplified --; and
Line 50, "(A)⁺ mRNA." should read -- (A)⁺ RNA. --.

Column 20,

Line 34, "Tris-KCl," should read -- Tris-HCl, --; and
Line 37, "2.75 μ l," should read -- 2.75 μ l --.

Column 22,

Line 34, "(9)" should read -- (H) --.

Column 24,

Line 45, "seqyenc," should read -- sequence, --.

Column 99,

Line 32, "NO S:1-6" should read -- NOS:1-6 --.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,828,428 B2
DATED : December 7, 2004
INVENTOR(S) : Tetsuyoshi Ishiwata et al.

Page 3 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 100,
Line 27, "AND" should read -- and --;
Line 33, "1∞6" should read -- 1-6 --; and
Line 35, "on" should read -- on an --.

Signed and Sealed this

Eighteenth Day of October, 2005

A handwritten signature in black ink, appearing to read "Jon W. Dudas". The signature is stylized with a large, looped initial "J" and a cursive "Dudas".

JON W. DUDAS
Director of the United States Patent and Trademark Office